

Practice exercises: files and exceptions

The FOSSEE Group

Department of Aerospace Engineering
IIT Bombay

Mumbai, India

Exercise: reading from a file

- 1 Define a function called **largest** which takes a single argument
- 2 The argument passed will be an opened file object
- 3 Read the data in the file
- 4 Assume that the data is separated by spaces and are all numbers
- 5 Find the maximum value in the file
- 6 Do not use **loadtxt**!

Solution

```
def largest(f):  
    data = []  
    for line in f:  
        for field in line.split():  
            data.append(float(field))  
    return max(data)
```

Another solution

```
def largest(f):  
    res = -1e20  
    for line in f:  
        for field in line.split():  
            res = max(res, float(field))  
    return res
```

Exercise: reading/writing files

- 1 Read the `pendulum.txt` file
- 2 Print the second column alone to another file called `col2.txt`
- 3 Remember to add a newline

Solution

```
f = open('pendulum.txt')
out = open('col2.txt', 'w')
for line in f:
    fields = line.split()
    out.write(fields[1] + '\n')
f.close()
out.close()
```

Another solution

```
f = open('pendulum.txt')
out = open('col2.txt', 'w')
for line in f:
    fields = line.split()
    print(fields[1], file=out)
f.close()
out.close()
```

Exercise: simple exceptions

- 1 Write a function called **my_sum**
- 2 The function is passed a single string with terms separated by spaces
- 3 The string contains both names and integer values in arbitrary order
- 4 Find the sum of all the numbers in the string

For example:

```
>>> my_sum('1 fox, 2 dogs and 3 jackals')
```

```
6
```

```
>>> my_sum('3 blind mice and 1 man')
```

```
4
```


Possible solution

```
def my_sum(s):  
    total = 0  
    for word in s.split():  
        try:  
            total += int(word)  
        except ValueError:  
            pass  
    return total
```

Exercise: catching exceptions

- 1 Write a function called `safe_run(f, x)`
- 2 `f` is a function and `x` is a value
- 3 `f` can raise either `ValueError` or `TypeError`
- 4 Your function should return `'OK'` if no exception is raised
- 5 Return `'ValueError'` if `ValueError` is raised
- 6 Return `'TypeError'` if `TypeError` is raised

For example:

```
>>> safe_run(float, 'A')
'ValueError'
>>> def f(x): return x + 2
>>> safe_run(f, '2')
'TypeError'
>>> safe_run(float, '2')
'OK'
```

Possible solution

```
def safe_run(f, x):  
    try:  
        f(x)  
    except ValueError:  
        return 'ValueError'  
    except TypeError:  
        return 'TypeError'  
    else:  
        return 'OK'
```

Exercise: raising exceptions

- 1 Write a function **func** which takes a single integer argument **x**
- 2 If **x** is not a positive integer raise a **ValueError**
- 3 If **x** is not an integer type raise a **TypeError**

Possible solution

```
def func(x):  
    if type(x) != int:  
        raise TypeError('Expected int')  
    elif x < 0:  
        raise ValueError('Got negative int')
```

What next?

- Only covered the very basics
- More advanced topics remain
- Read the official Python tutorial:
`docs.python.org/tutorial/`

Thank you!