

Module 4 - Creating a frequency table

created by

Mr. Digvijay Singh,
Project Research Associate,
R Team, FOSSEE, IIT Bombay

Mrs. Usha Viswanathan,
Sr. Project Manager,
FOSSEE, IIT Bombay

25 October 2022

Steps to create a frequency table in R

This module illustrates the procedure to create a frequency table in R. All below-mentioned commands should be executed in the R console.

Step 1. Select a discrete data column using the methods described in the Modules 1, 2, and 3, and save it in the variable **data**.

```
data <- Indian_Agriculture_Data$PFS
```




Figure 1: Select and store a discrete data column in the variable **data**.

Step 2. Execute the following command to create a frequency table by using the **table()** function of R and store it in the variable **frequency_table**.

```
frequency_table <- table(data)
```




Figure 2: Frequency table of **PFS** column data.

Step 3. Type `frequency_table` in the R console and press **Enter** to view the contents of the generated frequency table.




Figure 3: Contents of the frequency table.

Step 4. To save the contents of the generated frequency table in a `.csv` file with the name `frequency_table.csv`, type the following command.

```
write.csv(frequency_table, "frequency_table.csv")
```

Spoken Tutorials

For more details, refer to the [Plotting Histograms and Pie Chart Spoken Tutorial](#) video.