Module 5 - Creating a bar chart

contributed by

Mr. Digvijay Singh, Project Research Associate, R Team, FOSSEE, IIT Bombay Mrs. Usha Viswanathan, Sr. Project Manager, FOSSEE, IIT Bombay

1 November 2022

Steps to create a bar chart in R

This module illustrates the procedure to create a bar chart in R. All below-mentioned commands should be executed in the R console.

Step 1. Create and store the frequency table of a discrete data column in the variable **frequency_table** using the instructions mentioned in Module 4.

data <- Indian_Agriculture_Data\$PFS
frequency_table <- table(data)</pre>

Step 2. Create a bar chart by passing **frequency_table** as input to the **barplot()** function of R.

barplot(frequency_table) RStudio a × File Edit Code View Plots Session Build Debug Profile Tools Help 💁 🔹 🦓 🖆 🗧 📑 📄 🎓 Go to file/function 🛛 🛛 🔛 🔹 Addins 🔹 🔋 Project: (None) 🝷 Environment History Console Terminal × Background Jobs × $-\Box$ Import Dataset ▼ 9 194 MiB ▼
 R ▼ Global Environment ▼ E List • C • R R420 • ~/☆ > data <- Indian_Agriculture_DataSPFS > frequency_table <- table(data) > barplot(frequency_table) Q, Data Indian Agriculture Da., 525 obs. of 15 variables Values Files Plots Packages Help Viewer Presentation 🔎 Zoom 🛛 🚝 Export 🔹 🔇 📀 Publish 0 150 IOW MEDIUM HIGH

Figure 1: Bar plot of the **PFS** column data.

Step 3. Add a title to the bar chart by passing text input to the *main* argument of the **barplot()** function.



Figure 2: Bar plot with title.

Step 4. Add label to the axes of the bar chart by passing text input to the *xlab* and *ylab* arguments of the **barplot()** function.

```
barplot(frequency_table,
    main = "Phosphorus fertility status",
    xlab = "Status", ylab = "Count")
```

RStudio File Frit Code View Plots Session Build Debug Profile Tools Help							-	o ×			
• • • • • • • • • • • • • • • • •							🛞 Pro	oject: (None) 🔻			
Environment History	1	Consol	e Te	erminal ×	Background Jobs	×					
🞯 🔒 📑 Import Dataset 👻 😃 194 MiB 👻 🎸	≡ List • 0	• 🕞 R	4.2.0	· ~/ 🖈							
R 🝷 🛑 Global Environment 👻	> data	<pre>> data <- Indian_Agriculture_DataSPFS</pre>									
Data		> tree > bar	<pre>> frequency_table <- table(data) > barplot(frequency_table)</pre>								
Indian_Agriculture_Da 525 obs. of 15 variables		> bar	plot(frequen	cy_table,						
Values		+ > har	nlot(main = frequen	"Phosphorus fer	rtility status")					
data chr [1:525] "LOW" "LOW" "LOW" "LOW" "LOW" "LOW" "LOW"	"LOW" "LOW" "	+	proce	main =	"Phosphorus fer	tility status",					
frequency_table 'table' int [1:3(1d)] 15 279 231		+		xlab =	"Status", ylab	= "Count")					
		Files	Plots	Packag Zoom	es Help Viewe	r Presentation	📀 Put	lish • C			
			Phosphorus fertility status								
		Count	0 150								
					HIGH	LOW	MEDIUM				
						Status					

Figure 3: Bar plot with label for each axis.

Step 5. Add fill and border color to the bar chart by passing color names to the *col* and *border* arguments of the **barplot()** function, respectively.



Figure 4: Bar plot with colored bars.

Step 6. Instead of adding the same color to all bars, add *orange* to the first bar, *yellow* to the second bar and *blue* to the third bar by passing color names (separated by comma) to the *col* argument of the **barplot()** function.



Figure 5: Bar plot with bars of different color.

Step 7. Add three rainbow colors to the bars by using the rainbow color palette function **rainbow()** instead of passing individual color names to the *col* argument of the **barplot()** function.

```
barplot(frequency_table,
    main = "Phosphorus fertility status",
    xlab = "Status", ylab = "Count",
    col = rainbow(3), border = "green")
```

📀 RStudio File Fdit Cade View Plats Session Build Debug Profile Tools Hela						-	- 0	×
• • • • • • • • • • • • • • • • • • •							Project:	(None) -
Environment History	- Co	nsole	Terminal ×	Background Jobs	×			_
🎯 🔒 🐨 Import Dataset 🔹 😃 82 MiB 🔹 🏒 📃 List 👻	C. R	R 4.2.	.0 · ~/ 🖘					
R 🝷 🍓 Global Environment 👻		parpio	t(Trequen	cy_table, "Phosphorus fe	tility status")			
Data	> 1	oarplo	t(frequen	cy_table,	criticy status y			
Indian_Agriculture_Da 525 obs. of 15 variables	· 1		main =	"Phosphorus fe "Status" vlab	rtility status", - "Count")			
Values	> 1	barplo	t(frequen	cy_table,	- counc)			
data chr [1:525] "LOW" "LOW" "LOW" "LOW" "LOW" "LOW" "LOW" "LOW"	"		main =	"Phosphorus fe	rtility status",			
	> + + + + + + + + + + + + File	parplo parplo es Plo	t(frequen main = xlab = col = c t(frequen main = xlab = col = r col = r Packag	cy_table, "Phosphorus fe "Status", ylab ("orange","yel) cy_table, "Phosphorus fe "Status", ylab ainbow(3), bord es Help Viewe ∑ Export ♀	rtility status", = "Count", low", "blue"), border - rtility status", <u>= "Count",</u> der = "green") r Presentation	- "green")	🗲 Publish	- C
		Phosphorus fertility status						
	Count	0 150						
				HIGH	LOW	MEDIL	JM	
					Status			

Figure 6: Bar plot with bars of rainbow color.

Step 8. Save the bar plot by clicking on the **Export** option in the **Plots** tab of the **Files and Plots** window and selecting the **Save as Image...** option. **Save Plot as Image** window will appear.



Figure 7: Exporting the generated bar plot.

8 RStudio File Edit Code View Plots Session Build	Debua Profile Tools Help	- 0	×
💿 🗸 🧙 💣 🖌 🔒 📑 📄 🇪 Go to file/function	Addins •	Project	t (None) 🔻
Environment History Children History Children History R - Children History Data O Indian_Agriculture_Da_ 525 obs. of 15 var Values data chr [1:525] "LOW" frequecy_table 'table' int [1:3(1)	Console Terminal × Background Jobs × Ist · I · · · · · R R420 · - / · · > carpiot(trequency_table, main = · · Phosphorus fertility status") Save Plot as Image Image format: PNG Vidth: Solution: Soluti		
	File name: Rplot Update Preview y status", bunt", b)	
	HIGH LOW MEDIUM Status		
	HIGH LOW M Status	EDIUM	

Figure 8: Save Plot as Image window.

Step 9. Left-click on the box present on the right side of the **Image format:** field. A drop down list will appear. Select the option **JPEG** to save the image as a **.jpeg** file.



Figure 9: Select JPEG option.

Step 10. Change the width and height of the output file by typing a numeric value in the box present on the right side of the **Width:** and **Height:** fields. The **maintain aspect ratio** is by default checked, if you don't want to maintain it then uncheck it by clicking on the small box on the left side of the **Maintain aspect ratio** field.

😢 RStudio File Edit Code View Plots Session Build	Debug Profile Tools Help						- 0	×	
🔍 📲 🧟 🗣 🗐 📄 📑 👘 Go to file/function	🛛 🕶 Addins 🔹						🔋 Proje	t (None) 🔻	
Environment History		-	Console T	erminal × Back	around Jobs ×			_	
🐨 🕞 🖙 Import Dataset 👻 🎒 60 MiB 👻 💰		≡ List • @ •	R 4.2.0	· -/ 🖈	5				
R - Global Environment -	Q		> parpiot	(Trequency_ta	ole, shorus fortil	ity status")			
Data			> barplot	(frequency ta	ble.	Tty status)			
Indian_Agriculture_Da 525 obs. of 15 var	Save Plot as Image					ty status",			
Values	1 () 1950	-							
data chr [1:525] "LOW"		•	1	Width: 591	Height: 239	ty status",			
frequency_table 'table' int [1:3(1	Directory		-	🖌 Maintain asp	ect ratio	preen")			
	File name: Rplot			Update Previe	w	ty status",			
						bunt",	""		
	"blue"), border = "green"								
	Pho	sphorus fer	tility stat	us		ty status",			
						"green")			
	t o]		_					~	
	111 120 III					ecentation			
	° a ∃					coentation	C Dublic		
							Publis		
	HIGH	LOW		MEDIUM					
Other					orus fertility st	status			
		Status	•						
	✓ View plot after saving			Save	Cancel				
			0 -						
				HIG	н	LOW	MEDIUM		
						Ctatus			
						Status			

Figure 10: Select image size.

Step 11. Change the file name to **Box Plot** by typing it in the box on thr right side of the **File Name:** field. Click on the **Save** button at the bottom-right corner to save the plot.



Figure 11: Change file name and save the plot.

Step 12: Save the bar plot as a **.jpeg** file with the name **Box Plot.jpeg** with **900px** width, **600px** height, **75%** quality, **grey** background color and **72ppi** resolution by executing the following commands in the R console.

```
jpeg(file = "Box Plot.jpeg",
    width = 900, height = 600,
    units = "px",
```

dev.off()



Figure 12: Bar plot stored as a JPEG file.

Step 13: Save the bar plot as a **.png** file with the name **Box Plot.png** with **900px** width, **600px** height, **grey** background color and **72ppi** resolution by executing the following commands in the R console.

```
png(file = "Box Plot.png",
    width = 900, height = 600,
    units = "px",
    bg = "grey",
    res = 72)
# Add code to create the bar plot
```

```
#-----#
barplot(frequency_table,
    main = "Phosphorus fertility status",
    xlab = "Status", ylab = "Count",
    col = rainbow(3), border = "green")
#-----#
```

dev.off()



Figure 13: Bar plot stored as a PNG file.

Spoken Tutorials

For more details, refer to the Plotting Bar Charts and Scatter Plot Spoken Tutorial video.